

Customer Art Approval Form

Tracking Number:

HENSCH PO#22282754_ALEMANY DENTAL (W311688)

ITEM PPD-421

Non-SPF Cherry

REPEAT

*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

LAB-PPD-75335

→
IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



Art Guidelines

1. Labels

- a. Positive imprint - 5 pt minimum Sample Text
- b. Reverse imprint - 7 pt minimum Sample Text
- c. Serif and italic types - 7 pt minimum Sample Text
- d. Line weight, positive lines - .5 Sample Text
- e. Line weight, reverse lines (gap) - .75 Sample Text

* Ornate and display type faces will be printed on a case-by-case analysis.

* Registered marks and trademarks should be enlarged for clear printing.

Color Variance Notification

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.