

Customer Art Approval Form

Tracking Number:

ANCPRI PO#16890_WARK DENTAL(W312818)

ITEM PPD-420

Non-SPF Citrus

LAB-PPD-113552

→
IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



ITEM PPD-442


Non-SPF Vanilla Mint

LAB-PPD-113554

→
IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



ITEM PPD-421

Non-SPF Cherry

LAB-PPD-113553

→
IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



Art Guidelines

1. Labels

- Positive imprint - 5 pt minimum Sample Text
- Reverse imprint - 7 pt minimum Sample Text
- Serif and italic types - 7 pt minimum Sample Text
- Line weight, positive lines - .5 Sample Text
- Line weight, reverse lines (gap) - .75 Sample Text

* Ornate and display type faces will be printed on a case-by-case analysis.

* Registered marks and trademarks should be enlarged for clear printing.

Color Variance Notification

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.