LEEWAY PO#W5703635\_DENVER ENDOSCOPY(W313808)

ITEM PPD-420 Non-SPF Citrus



ITEM PPD-421 Non-SPF Cherry



## LAB-PPD-112832



LAB-PPD-112833





Imprint Color(s)

### Imprint Color(s)








## **ITEM PPD-441** Non-SPF Peppermint Beeswax






# LAB-PPD-112925





**IMPRINT AREA** 2.0" X 0.55



LAB-PPD-112926

#### Imprint Color(s)







## **Art Guidelines**

#### 1. Labels

- b. Reverse imprint - 7 pt minimum ...... Sample Text c. Serif and italic types - 7 pt minimum ...... Sample Text d. Line weight, positive lines - .5 ..... e. Line weight, reverse lines (gap) - .75
- \* Ornate and display type faces will be printed on a case-by-case analysis.
- \* Registered marks and trademarks should be enlarged for clear printing.

## **Color Variance Notification**

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed peice.