

Customer Art Approval Form

Tracking Number:

LEEWAY PO#W6085484_DENVER ENDOSCOPY(W317661)

ITEM PPD-421

Non-SPF Cherry

REPEAT

*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

ITEM PPD-420

Non-SPF Citrus

REPEAT

*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

LAB-PPD-116200

LAB-PPD-116201

IMPRINT AREA
2.0" X 0.55"



IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



Imprint Color(s)



ITEM PPD-441

Non-SPF Peppermint Beeswax

REPEAT

*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

ITEM PPD-419

Non-SPF Strawberry

REPEAT

*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

LAB-PPD-116202

LAB-PPD-116203

IMPRINT AREA
2.0" X 0.55"



IMPRINT AREA
2.0" X 0.55"



Imprint Color(s)



Imprint Color(s)



Art Guidelines

1. Labels

- Positive imprint - 5 pt minimum Sample Text
- Reverse imprint - 7 pt minimum Sample Text
- Serif and italic types - 7 pt minimum Sample Text
- Line weight, positive lines - .5
- Line weight, reverse lines (gap) - .75

* Ornate and display type faces will be printed on a case-by-case analysis.

* Registered marks and trademarks should be enlarged for clear printing.

Color Variance Notification

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.