

Customer Art Approval Form

Tracking Number:

PEPROMO PO#12192025_BURRIS DENTAL(W318924)

ITEM PPD-320
Super Moisture SPF 15

REPEAT
*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

ITEM PPD-352
Tangerine SPF 15

LAB-PPD-112591

LAB-PPD-118097

15 SPF

MOISTURIZER • VIT E • ALOE • TAMPER SEALED

LCS MOI NPIG 15

LAB-PPD-112591

Drug Facts (Continued)

Uses: Helps prevent sunburn • Helps prevent and temporarily protect dry, chapped or windburned lips.

Warnings

Skin Cancer /Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early aging.

For external use only

Stop use and ask a doctor: If rash or irritation develops and lasts.

Keep out of reach of children: If swallowed get medical help or contact a Poison Control Center right away.

Directions: Apply liberally before sun exposure and as needed.

Children under 6 months of age: Ask a doctor before use.

Inactive ingredients: Ozokerite, Mineral Oil, Isocetyl Stearate, Microcrystalline Wax, Isopropyl Linolate, Lanolin, Copernicia Cerifera (Carnauba) Wax, Tocopheryl Acetate, Isopropyl Myristate, Aloe Barbadensis Leaf Extract, Cetyl Alcohol, Paraffin, Tocopheryl Linoleate, Flavor.

QUESTIONS? 1.800.290.0577

Drug Facts

Active Ingredients:

Octinoxate (7.5%).....Sunscreen

Oxybenzone (3.5%).....Sunscreen

Petrolatum (40.7%).....Skin Protectant

Purpose

Sunscreen

Sunscreen

Skin Protectant

Manufactured in USA

Burris Dental Group

Todd C. Burris D.M.D, PA

Net Wt. 0.15 oz (4.25g)

▼Lift for Drug Facts Continued▼

15 SPF

TAMPER SEALED • VIT E • ALOE • TAMPER SEALED

LCS CTP YPG 15

LAB-PPD-118097

Drug Facts (Continued)

Uses: Helps prevent sunburn • Helps prevent and temporarily protect dry, chapped or windburned lips.

Warnings

Skin Cancer /Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early aging.

For external use only

Stop use and ask a doctor: If rash or irritation develops and lasts.

Keep out of reach of children: If swallowed get medical help or contact a Poison Control Center right away.

Directions: Apply liberally before sun exposure and as needed.

Children under 6 months of age: Ask a doctor before use.

Inactive ingredients: Mineral Oil, Ozokerite, Flavor, Microcrystalline Wax, PEG-8, Tocopherol, Yellow 5 Lake (CI 19140), Sucralose, Red 27 Lake (CI 45410), Red 40 Lake (CI 16035).

QUESTIONS? 1.800.290.0577

Drug Facts

Active Ingredients:

Octinoxate (7.5%).....Sunscreen

Oxybenzone (3.5%).....Sunscreen

Petrolatum (40.0%).....Skin Protectant

Purpose

Sunscreen

Sunscreen

Skin Protectant

Manufactured in USA


Burris Dental Group

Todd C. Burris D.M.D, PA


Net Wt. 0.15 oz (4.25g)

▼Lift for Drug Facts Continued▼

Imprint Color(s)



Imprint Color(s)



ITEM PPD-166
Tropical SPF 30

ITEM PPD-169
Vanilla SPF 30

LAB-PPD-118096

LAB-PPD-118095

30 SPF

TROPICAL • TAMPER SEALED • MOISTURIZER

LCS TRO NPIG 45

LAB-PPD-118096

Drug Facts (Continued)

Warnings: For external use only. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions:

Apply liberally 15 minutes before sun exposure and as needed.

Reapply: After 80 minutes of swimming or sweating • Immediately after toweling drying • At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher & the sun protection measures including:

Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long sleeve shirts, pants, hats and sunglasses.

Children under 6 months: Ask a doctor.

Stop:

Helps prevent sunburn. Helps prevent and temporarily protect dry, chapped or windburned lips.

If used in directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Inactive ingredients: Ozokerite, Mineral Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Flavor, Phenyl Trimethicone, Isopropyl Alcohol, Sucralose.

QUESTIONS? 1.800.290.0577

Drug Facts

Active Ingredients:

Avobenzone (3.0%), Homosalate (3.0%).....Sunscreen

Octinoxate (7.5%), Octisalate (5.0%).....Sunscreen

Petrolatum (40.0%).....Skin Protectant

Purpose

Sunscreen

Sunscreen

Skin Protectant

Manufactured in USA

Burris Dental Group

Todd C. Burris D.M.D, PA

Net Wt. 0.15 oz (4.25g)

▼Lift for Drug Facts Continued▼

30 SPF

VANILLA • TAMPER SEALED • MOISTURIZER

LCS VAN NPIG 45

LAB-PPD-118095

Drug Facts (Continued)

Warnings: For external use only. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions:

Apply liberally 15 minutes before sun exposure and as needed.

Reapply: After 80 minutes of swimming or sweating • Immediately after toweling drying • At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher & the sun protection measures including:

Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long sleeve shirts, pants, hats and sunglasses.

Children under 6 months: Ask a doctor.

Stop:

Helps prevent sunburn. Helps prevent and temporarily protect dry, chapped or windburned lips.

If used in directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Inactive ingredients: Ozokerite, Mineral Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Flavor, Phenyl Trimethicone, Isopropyl Alcohol, Sucralose.

QUESTIONS? 1.800.290.0577

Drug Facts

Active Ingredients:

Avobenzone (3.0%), Homosalate (3.0%).....Sunscreen

Octinoxate (7.5%), Octisalate (5.0%).....Sunscreen

Petrolatum (40.0%).....Skin Protectant

Purpose

Sunscreen

Sunscreen

Skin Protectant

Manufactured in USA


Burris Dental Group

Todd C. Burris D.M.D, PA


Net Wt. 0.15 oz (4.25g)

▼Lift for Drug Facts Continued▼

Imprint Color(s)



Imprint Color(s)



Art Guidelines

1. Labels

- a. Positive imprint - 5 pt minimum
- b. Reverse imprint - 7 pt minimum
- c. Serif and italic types - 7 pt minimum
- d. Line weight, positive lines - .5
- e. Line weight, reverse lines (gap) - .75
- Sample Text
- Sample Text
- Sample Text
-
-

* Ornate and display type faces will be printed on a case-by-case analysis.

* Registered marks and trademarks should be enlarged for clear printing.

Color Variance Notification

- This PDF file is being viewed on a RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed peice.

Ship Date is 5 Business Days from Art Approval