

Customer Art Approval Form

Tracking Number:

WELLBRA PO#108149_BROADWAY DENTAL(W319521)

ITEM PPD-220
Tropical SPF 15

ITEM PPD-327
Vanilla Bean SPF 15

REPEAT
*ANY CHANGE REQUEST
TO AN EXACT REPEAT ITEM
COULD BE SUBJECT TO SETUP FEE

LAB-PPD-118306

LAB-PPD-113794


IMPRINT AREA
1.75" X 1.40"

IMPRINT AREA
1.75" X 1.40"

Imprint Color(s)



Imprint Color(s)




ITEM PPD-352
Tangerine SPF 15

LAB-PPD-118307

IMPRINT AREA
1.75" X 1.40"

Imprint Color(s)



Art Guidelines

1. Labels

- a. Positive imprint - 5 pt minimum
- b. Reverse imprint - 7 pt minimum
- c. Serif and italic types - 7 pt minimum
- d. Line weight, positive lines - .5
- e. Line weight, reverse lines (gap) - .75



- * Ornate and display type faces will be printed on a case-by-case analysis.
- * Registered marks and trademarks should be enlarged for clear printing.

Color Variance Notification

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- This proof should be used to inspect the layout, spelling, color selection and approximate color appearance.
- Colors printed on different mediums (ie: leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed peice.